

TUBE ADAPTERS & CLEVISES

MW weld in tube adapters make fabricating linkage, struts, or any application that requires joining a male rod end or threaded clevis to chromoly tubing a snap. All MW tube adapters are CNC machined and lead screw tapped to ensure a precise and square thread and the correct fit into the chromoly tubing shown in each description.

10510	Tube Adapter, 5/16-24 to 5/8 x .058	.6.15
10510L	Tube Adapter, 5/16-24 L.H. to 5/8 x .058	.6.15
10610	Tube Adapter, 3/8-24 to 5/8 x .058	.6.70
10610L	Tube Adapter, 3/8-24 L.H. to 5/8 x .058	.6.70
10612	Tube Adapter, 3/8-24 to 3/4 x .058	.6.70
10612L	Tube Adapter, 3/8-24 L.H. to 3/4 x .058	.6.70
10614	Tube Adapter, 3/8-24 to 7/8 x .058	.6.70
10614L	Tube Adapter, 3/8-24 L.H. to 7/8 x .058	.6.70
10714	Tube Adapter, 7/16-20 to 7/8 x .058	.6.70
10714L	Tube Adapter, 7/16-20 L.H. to 7/8 x .058	.6.70
10814	Tube Adapter, 1/2-20 to 7/8 x .058	.6.70
10814L	Tube Adapter, 1/2-20 L.H. to 7/8 x .058	.6.70
10816	Tube Adapter, 1/2-20 to 1 x .058	.7.50
10816L	Tube Adapter, 1/2-20 L.H. to 1 x .058	.7.50
11016	Tube Adapter, 5/8-18 to 1 x .058	.7.50
11016L	Tube Adapter, 5/8-18 L.H. to 1 x .058	.7.50
11018	Tube Adapter, 5/8-18 to 1 1/8 x .083	.8.25
11018L	Tube Adapter, 5/8-18 L.H. to 1 1/8 x .083	.8.25
11218	Tube Adapter, 3/4-16 to 1 1/8 x .083	.8.25
11218L	Tube Adapter, 3/4-16 L.H. to 1 1/8 x .083	.8.25



11220	Tube Adapter, 3/4-16 to 1 1/4 x .058	.9.50
11220L	Tube Adapter, 3/4-16 L.H. to 1 1/4 .058	.9.50
11221	Tube Adapter, 3/4-16 Thread	.9.50
	<i>For 1-1/4 x .095 tubing, for 4-link rear suspension</i>	
11221L	Tube Adapter, 3/4-16 L.H. Thread	.11.00
	<i>For 1-1/4 x .095 tubing, hex wrench driver for 4-link</i>	

WELD-IN CLEVISES




20316

MW weld-in clevises are manufactured in-house from 4130 steel on CNC machinery. All are designed with a step down diameter for a precise fit in the chromoly tubing listed. MW weld-in clevises work great for wing struts, wheelie bars etc. See page 81 for tabs that can be used.

20210	5/8" Weld Clevis	.12.75
	<i>Fits 5/8" x .058 tubing and 1/8" thick bracket. 1/4" hole.</i>	
20312	3/4" Weld Clevis	.14.25
	<i>Fits 3/4" x.058 tubing and 3/16" thick bracket. 5/16" hole.</i>	
20314	7/8" Weld Clevis	.15.00
	<i>Fits 7/8" x.058 tubing and 3/16" thick bracket. 5/16" hole.</i>	
20316	1" Weld Clevis	.16.50
	<i>Fits 1" x.058 tubing and 3/16" thick bracket. 5/16" hole.</i>	
20416	1" Weld Clevis	.18.00
	<i>Fits 1" x.058 tubing and 1/4" thick bracket. 5/16" hole.</i>	

AIRCRAFT JAM-NUTS



N12RA

N12LA

Jam nuts are half the thickness and weight of standard nuts and are ideal for use on steering and suspension linkage or other applications that use rod ends or threaded clevises. These jam nuts are Yellow Cad plated except for N12RA and N12LA that are 7075 aluminum and gold anodized. Priced per pack.

N5R	5/16-24 R.H. Jam Nuts, (6 pcs)	.5.25
N5L	5/16-24 L.H. Jam Nuts, (6 pcs)	.12.54
N6R	3/8-24 R.H. Jam Nuts, (6 pcs)	.6.99
N6L	3/8-24 L.H. Jam Nuts, (6 pcs)	.12.39
N7R	7/16-20 R.H. Jam Nuts, (6 pcs)	.9.30
N7L	7/16-20 L.H. Jam Nuts, (6 pcs)	.13.25
N8R	1/2-20 R.H. Jam Nuts, (6 pcs)	.8.82
N8L	1/2-20 L.H. Jam Nuts, (6 pcs)	.10.45
N10R	5/8-18 R.H. Jam Nuts, (4 pcs)	.15.00
N10L	5/8-18 L.H. Jam Nuts, (4 pcs)	.24.47
N12RA	3/4-16 R.H. Aluminum Jam Nuts, (4 pcs)	.30.00
N12LA	3/4-16 L.H. Aluminum Jam Nuts, (4 pcs)	.32.00

toll free
800-525-1963

on the web
www.markwilliams.com